

60
00/80/00
U.S.P.T.O.
Patent & Trademark Office

09-11-00 A

Please type a plus sign (+) inside this box → +

PTO/SB/05 (4/98)

Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Attorney Docket No.

First Inventor or Application Identifier Eric Schneider, et al.

Title Method, product, and apparatus for generating hyperlink...

Express Mail Label No. EK952317456US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

1. * Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original and a duplicate for fee processing)

2. Specification [Total Pages 26]
(preferred arrangement set forth below)

- Descriptive title of the Invention
- Cross References to Related Applications
- Statement Regarding Fed sponsored R & D
- Reference to Microfiche Appendix
- Background of the Invention
- Brief Summary of the Invention
- Brief Description of the Drawings (if filed)
- Detailed Description
- Claim(s)
- Abstract of the Disclosure

3. Drawing(s) (35 U.S.C. 113) [Total Sheets 8]

4. Oath or Declaration [Total Pages 3]

- a. Newly executed (original or copy)
- b. Copy from a prior application (37 C.F.R. § 1.63(d))
(for continuation/divisional with Box 16 completed)
 - i. DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).

***NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).**

ADDRESS TO: Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

5. Microfiche Computer Program (Appendix)

6. Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)

- a. Computer Readable Copy
- b. Paper Copy (identical to computer copy)
- c. Statement verifying identity of above copies

CE675 U.S.P.T.O.
09/658434

09/08/00

ACCOMPANYING APPLICATION PARTS

7. Assignment Papers (cover sheet & document(s))

8. 37 C.F.R. § 3.73(b) Statement Power of
(when there is an assignee) Attorney

9. English Translation Document (if applicable)

10. Information Disclosure Statement (IDS)/PTO-1449 Copies of IDS
Statement (IDS)/PTO-1449 Citations

11. Preliminary Amendment

12. Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)

13. * Small Entity Statement(s) Statement filed in prior application,
(PTO/SB/09-12) Status still proper and desired

14. Certified Copy of Priority Document(s)
(if foreign priority is claimed)

15. Other: Express Mail Certificate
Under 37 CFR 1.10

16. If a CONTINUATING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:
 Continuation Divisional Continuation-in-part (CIP) of prior application No: _____ J.

Prior application information: Examiner _____ Group / Art Unit: _____

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS
 Customer Number or Bar Code Label 
(Insert Customer No. or Attach bar code label here)
or Correspondence address below

Name

PATENT TRADEMARK OFFICE

Address

City

State

Zip Code

Country

Telephone

Fax

Name (Print/Type) Eric Schneider

Registration No. (Attorney/Agent)

Signature 

Date 9/8/2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FEE TRANSMITTAL

Patent fees are subject to annual revision on October 1.

These are the fees effective November 10, 1998.

Small Entity payments **must** be supported by a small entity statement.
otherwise large entity fees must be paid. See Forms PTO/SB/09-12.
See 37 C.F.R. §§ 1.27 and 1.28.

TOTAL AMOUNT OF PAYMENT (\$ 345.00

Complete if Known

Application Number	
Filing Date	9/8/2000
First Named Inventor	Eric Schneider, et al.
Examiner Name	
Group / Art Unit	
Attorney Docket No.	

METHOD OF PAYMENT (check one)

1. The Commissioner is hereby authorized to charge indicated fees and credit any over payments to:

Deposit Account Number	
Deposit Account Name	

Charge Any Additional Fee Required Under 37 C.F.R. §§ 1.16 and 1.17 Charge the Issue Fee Set in 37 C.F.R. § 1.18 at the Mailing of the Notice of Allowance

2. Payment Enclosed:

Check Money Order Other

FEE CALCULATION**1. BASIC FILING FEE**

Large Entity Small Entity

Fee Code (\$)	Fee Code (\$)	Fee Description	Fee Paid
101 690	201 345	Utility filing fee	345
106 310	206 155	Design filing fee	
107 480	207 240	Plant filing fee	
108 690	208 345	Reissue filing fee	
114 150	214 75	Provisional filing fee	
SUBTOTAL (1) (\$)		345.00	

2. EXTRA CLAIM FEES

Total Claims	-20**	=	X	Fee from below	=	Fee Paid
Independent Claims	- 3**	=	X		=	
Multiple Dependent						

**or number previously paid, if greater; For Reissues, see below


Large Entity Small Entity

Fee Code (\$)	Fee Code (\$)	Fee Description
103 18	203 9	Claims in excess of 20
102 78	202 39	Independent claims in excess of 3
104 260	204 130	Multiple dependent claim, if not paid
109 78	209 39	** Reissue independent claims over original patent
110 18	210 9	** Reissue claims in excess of 20 and over original patent
SUBTOTAL (2) (\$)		

3. ADDITIONAL FEES

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
105 130	205 65	Surcharge - late filing fee or oath	
127 50	227 25	Surcharge - late provisional filing fee or cover sheet	
139 130	139 130	Non-English specification	
147 2,520	147 2,520	For filing a request for reexamination	
112 920*	112 920*	Requesting publication of SIR prior to Examiner action	
113 1,840*	113 1,840*	Requesting publication of SIR after Examiner action	
115 110	215 55	Extension for reply within first month	
116 380	216 190	Extension for reply within second month	
117 870	217 435	Extension for reply within third month	
118 1,360	218 680	Extension for reply within fourth month	
128 1,850	228 925	Extension for reply within fifth month	
119 300	219 150	Notice of Appeal	
120 300	220 150	Filing a brief in support of an appeal	
121 260	221 130	Request for oral hearing	
138 1,510	138 1,510	Petition to institute a public use proceeding	
140 110	240 55	Petition to revive - unavoidable	
141 1,210	241 605	Petition to revive - unintentional	
142 1,210	242 605	Utility issue fee (or reissue)	
143 430	243 215	Design issue fee	
144 580	244 290	Plant issue fee	
122 130	122 130	Petitions to the Commissioner	
123 50	123 50	Petitions related to provisional applications	
126 240	126 240	Submission of Information Disclosure Stmt	
581 40	581 40	Recording each patent assignment per property (times number of properties)	
146 760	246 380	Filing a submission after final rejection (37 CFR 1.129(a))	
149 760	249 380	For each additional invention to be examined (37 CFR 1.129(b))	
Other fee (specify) _____			
Other fee (specify) _____			
` Reduced by Basic Filing Fee Paid		SUBTOTAL (3) (\$)	

SUBMITTED BY

Typed or Printed Name	Eric Schneider	Complete (if applicable)
Signature		Reg. Number
Date	9/8/2000	Deposit Account User ID

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

In re application of Method, product, and apparatus for
generating hyperlink references from spell checking
Schneider, et al.

CERTIFICATE OF EXPRESS MAILING

Express Mailing Number: EK952317456US

Date of Deposit: September 8, 2000

I hereby certify that the Application for Letters Patent of Schneider, et al., for the invention entitled "Method, product, and apparatus for generating hyperlink references from spell checking", together with the appropriate filing fee is being deposited with the U.S. Postal Service for Express Mail service under 37 CFR 1.10 on the date indicated above and is addressed to:

Assistant Commissioner for Patents

Box Patent Application

U.S. Patent and Trademark Office

Washington, D.C. 20231

Sincerely,



Eric Schneider

**STATEMENT CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) & 1.27(b))--INDEPENDENT INVENTOR**

Docket Number (Optional)

Applicant, Patentee, or Identifier: Schneider, et al.

Application or Patent No.: filed herewith

Filed or Issued:

METHOD, PRODUCT, AND APPARATUS FOR GENERATING HYPERLINK REFERENCES
Title: FROM SPELL CHECKING

As a below named inventor, I hereby state that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees to the Patent and Trademark Office described in:

- the specification filed herewith with title as listed above.
- the application identified above.
- the patent identified above.

I have not assigned, granted, conveyed, or licensed, and am under no obligation under contract or law to assign, grant, convey, or license, any rights in the invention to any person who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern, or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- No such person, concern, or organization exists.
- Each such person, concern, or organization is listed below.

Separate statements are required from each named person, concern, or organization having rights to the invention stating their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

Eric Schneider

NAME OF INVENTOR

Signature of inventor

9/8/2000

Date

Daniel V. Heintz

NAME OF INVENTOR

Signature of inventor

9/8/2000

Date

N/A

NAME OF INVENTOR

Signature of inventor

Date

**METHOD, PRODUCT, AND APPARATUS FOR GENERATING HYPERLINK
REFERENCES FROM SPELL CHECKING**

5

Other Applications

This application claims the benefit of the following patent applications, which are hereby incorporated by reference:

10 1. U.S. Patent Application Ser. No. n/a filed September 7, 2000, by Schneider, entitled "Method, product, and apparatus for performing an operative function in response to detecting an identifier", which claims the benefit of U.S. Patent Application Ser. No. 09/532,500 filed March 21, 2000, by Schneider, entitled "Fictitious domain name method, product, and apparatus" and claims the benefit of U.S. Provisional Application Ser. No. 60/160,125 filed October 18, 1999, by Schneider, entitled "Method and system for integrating resource location, search services, and registration services", U.S. Provisional Application Ser. No. 60/153,594 filed September 13, 1999, by Schneider entitled "Method and apparatus for using a portion of a URI to select and display advertising", and

15 20 U.S. Provisional Application Ser. No. 60/153,336 filed September 10, 1999, by Schneider entitled "Method and apparatus for generating hyperlink references and/or performing an operative function in response to detected indicia."

25 30 2. U.S. Patent Application Ser. No. 09/532,500 filed March 21, 2000, by Schneider, entitled "Fictitious domain name method, product, and apparatus", which claims the benefit of U.S. Patent Application Ser. No. 09/525,350 filed March 15, 2000, by Schneider, entitled "Method for integrating domain name registration with domain name resolution" and claims the benefit of U.S. Provisional Application Ser. No. 60/143,859 filed July 15, 1999, by Schneider entitled "Method and apparatus for generation, registration, resolution, and emulation of name space", now abandoned, U.S. Provisional Application Ser.

No. 60/135,751 filed May 25, 1999, by Schneider entitled "Method and system for name space resolution", now abandoned and U.S. Provisional Application Ser. No. 60/125,531 filed March 22, 1999, by Schneider entitled "Method and system for the emulation of name space", now abandoned.

5

3. U.S. Provisional Application Ser. No. 60/155,367 filed September 20, 1999, by Schneider, et al., entitled "Method and apparatus for generating hyperlink references from spell checking."
- 10 4. U.S. Provisional Application Ser. No. 60/153,336 filed September 10, 1999, by Schneider entitled "Method and apparatus for generating hyperlink references and/or performing an operative function in response to detected indicia."

Field of the Invention

15 This invention generally relates to hyperlink references, and more specifically relates to a method, product, and apparatus for generating hyperlink references from using a spell check program.

Background of the Invention

20 The Internet is a vast computer network consisting of many smaller networks that span the entire world. A network provides a distributed communicating system of computers that are interconnected by various electronic communication links and computer software protocols. Because of the Internet's distributed and open network architecture, it is possible to transfer data from one computer to any
25 other computer worldwide. In 1991, the World-Wide-Web (WWW or Web) revolutionized the way information is managed and distributed.

The Web is based on the concept of hypertext and a transfer method known as Hypertext Transfer Protocol (HTTP) which is designed to run primarily over a

30 Transmission Control Protocol/Internet Protocol (TCP/IP) connection that employs a standard Internet setup. A server computer may issue the data and a

client computer displays or processes it. TCP may then convert messages into streams of packets at the source, then reassemble them back into messages at the destination. Internet Protocol (IP) handles addressing, seeing to it that packets are routed across multiple nodes and even across multiple networks

5 with multiple standards. HTTP protocol permits client systems connected to the Internet to access independent and geographically scattered server systems also connected to the Internet.

Client side browsers, such as Netscape Navigator and/or Microsoft Internet
10 Explorer (MSIE) provide graphical user interface (GUI) based client applications that implement the client side portion of the HTTP protocol. One format for information transfer is to create documents using Hypertext Markup Language (HTML). HTML pages are made up of standard text as well as formatting codes that indicate how the page should be displayed. The client side browser reads
15 these codes in order to display the page. A web page may be static and requires no variables to display information or link to other predetermined web pages. A web page is dynamic when arguments are passed which are either hidden in the web page or entered from a client browser to supply the necessary inputs displayed on the web page. Common Gateway Interface (CGI) is a
20 standard for running external programs from a web server. CGI specifies how to pass arguments to the executing program as part of the HTTP server request. Commonly, a CGI script may take the name and value arguments from an input form of a first web page which is be used as a query to access a database server and generate an HTML web page with customized data results as output that is
25 passed back to the client browser for display.

The Web is a means of accessing information on the Internet that allows a user to "surf the web" and navigate Internet resources intuitively, without technical knowledge. The Web dispenses with command-line utilities, which typically
30 require a user to transmit sets of commands to communicate with an Internet server. Instead, the Web is made up of millions of interconnected web pages, or

documents, which may be displayed on a computer monitor. Hosts running special servers provide the Web pages. Software that runs these Web servers is relatively simple and is available on a wide range of computer platforms including PC's. Equally available is a form of client software, known as a Web browser,
5 which is used to display Web pages as well as traditional non-Web files on the client system.

A network resource identifier such as a Uniform Resource Identifier (URI) is a compact string of characters for identifying an abstract or physical resource.
10 URIs are the generic set of all names and addresses that refer to objects on the Internet. URIs that refer to objects accessed with existing protocols are known as Uniform Resource Locators (URLs). A URL is the address of a file accessible on the Internet. The URL contains the name of the protocol required to access the resource, a domain name, or IP address that identifies a specific computer
15 on the Internet, and a hierarchical description of a file location on the computer.
For example the URL "http://www.example.com/index.html", where "http" is the scheme or protocol, "www.example.com" is the Fully Qualified Domain Name (FQDN), and "index.html" is the filename located on the server.
20 A domain name consists of two parts: a host and a domain. Technically, the letters to the right of the "dot" (e.g., tut.net) are referred to as Top Level Domains (TLDs), while hosts, computers with assigned IP addresses that are listed in specific TLD registries are known as second-level domains (SLDs). For the domain name "tut.net", ".net" is the TLD, and "tut" is the SLD. Domain name space is the ordered hierarchical set of all possible domain names either in use
25 or to be used for locating an IP address on the Internet. TLDs are known as top-level domains because they comprise the highest-order name space available on the Internet. Second-level domains, as well as third-level domains (3LDs) such as "king.tut.net", are subsidiary to TLDs in the hierarchy of the Internet's DNS.

URLs are used in media and written in documents or typed within e-mail, and data files, etc. as a means to make reference to accessible online content that helps express the context of the ideas one wishes to communicate. URLs are generally written in an abbreviated manner as partial URLs or domain names

5 (e.g., "http://www.example.com" is the URL, "www.example.com" is the FQDN, and "example.com" is the domain name). During the early stages of commercialization on the Internet, businesses displayed the full URL when advertising a commercial or display ad as a means to locate the resources of the business on the Internet. Improvements have been made to recognize partial

10 URLs when entered in the location field of a web browser or network accessible device for automatically appending protocol information so a full URL request can be made. By submitting a domain name or FQDN in the location field, the browser modifies the request by adjusting the partial URL and adding "http://" in front of the domain name or FQDN in order to construct a valid URL. As a result

15 of this convenience, companies have modified their advertising and distribution of URLs through print, film, radio, television and other media as "example.com" or "www.example.com" instead of the URL "http://www.example.com". Though a helpful mnemonic for consumers to more readily identify and access the location and origin of goods and services on a public network such as the Internet, the

20 mnemonic is only applicable when using a command line of a device or location field of a web browser program as a means to access the advertised web site.

The convenience of entering a URL in an abbreviated manner in the location field has also affected how references to URLs are communicated through other media. For example, it is common place to include partial URLs such as a domain name or FQDN as an abbreviation to a URL particularly within data files, text files, and e-mail. Though the adaptation of communicating URLs has been abbreviated for the sake of time, memory, and repetition, there exists no method or device that successfully integrates the abbreviated use of URLs in other

25 applications.

Text editors (e.g., word processing application) provide the ability to manipulate text. Many text editors provide some proofreading capability. In most text editors, this capability includes a spelling checker for identifying spelling errors. Other examples include tools for detecting grammatical and punctuation errors.

5 Proofreading processing includes error detection, communication, and correction.

For example, a spelling checker scans text to identify errors and provide ability to correct errors. A spelling checker compares each word of the document with a
10 spelling dictionary. Spelling errors are detected when a word in the text is not in the spelling dictionary. If the word is not located in the dictionary, the word is considered to be spelled incorrectly (an "error"). The error is communicated to the user, and the user indicates how the error is to be corrected.

15 Existing limitations are evident particularly when using Microsoft (MS) products for spell checking in word processing and e-mail composition applications. When a URL or FQDN is typed into such applications, the program automatically creates a hyperlink reference by using the URL or FQDN as the label portion of the hyperlink reference. For instance, entering the FQDN "www.example.com",
20 would immediately be displayed with an underline denoting that the program automatically recognized the FQDN as a hyperlink by tagging FQDN in real-time to form the hyperlink reference in HTML language:

<A HREF="<http://www.example.com>">www.example.com

25 The automatic generation of a hyperlink particularly with respect to a FQDN indicates the acknowledgement that hyperlinks are becoming prevalent as a part of everyday language. In previous software versions, a FQDN was treated as a spelling error.

30 The use of the "." delimiter in most languages denotes the end of a sentence whereas the use of the "." delimiter in the DNS system denotes the hierarchy of

domain levels within a domain name. The minimum requirements for indicating a valid URL is by including a domain name or IP address to locate a particular server on the Internet. The "." functions as a delimiter that exists in two separate namespaces (the namespace of language and the namespace of the DNS) that
5 are converging due to the commercial impact of the Internet.

Though the above applications support the automatic hyperlinking of a URL or FQDN, there is no extended support to provide further diagnostic by testing the validity of the generated URI or FQDN. This can be demonstrated by typing in
10 "http://www.example.company", "www.example.company", "http://e", "www.e", "ftp://e", "ftp.e". In each case, the application automatically generates a hyperlink without verifying that ".company" is not a resolvable TLD nor that a TLD is even present indicating that hyperlink generation is based on a small table of keywords to denote protocol or host server name such as "http", "ftp",
15 "telnet", "www", etc. Furthermore, when a domain name such as "example.com" or "example.company" is entered there is no support whatsoever for automatically hyperlinking the domain name and in some cases is processed as a spelling error further supporting that TLD detection in spell checking is not a consideration.
20

U.S. patent 5,907,680 issued on May 25, 1999, by Nielsen, which is entitled, "Client-side, server-side and collaborative spell check of URLs" is a system that applies spell check as a navigational tool used in conjunction with the location field of a web browser. U.S. patent 5,892,919 issued on April 6, 1999, by
25 Nielsen, which is entitled, "Spell checking universal resource locator (URL) by comparing the URL against a cache containing entries relating incorrect URLs submitted by users to corresponding correct URLs" is a similar system as discussed above. Though both Nielsen patents teach the importance of applying spell checking methodologies to URLs, the patents apply strictly to URLs and
30 resource navigation only and does not contemplate broader applications of URLs

in contexts other than resource navigation or applied to other fields such as the area of word processing for example.

In a hierarchical naming system such as the DNS, a first domain represents the
5 highest level domain (HLD). A HLD that is determined not resolvable is referred to as a Top Level Domain Alias (TLDA). A resolvable HLD is referred to as a Top Level Domain (TLD). Specific methods for applying TLDA and hyperlink generation are explained in U.S. Patent Application Ser. No. 09/532,500 filed March 21, 2000, by Schneider, entitled "Fictitious domain name method, product,
10 and apparatus" and U.S. Provisional Application Ser. No. 60/153,336 filed September 10, 1999, by Schneider entitled "Method and apparatus for generating hyperlink references and/or performing an operative function in response to detected indicia."

15 As demonstrated there exists a need to overcome the limitations of the prior art by providing more effective solutions for the automatic generation of hyperlinks so that partial URLs can be used on all platforms and in all applications aside from the current abbreviated use through the location field of a web browser or in its very limited use in spell check word processing applications. Accordingly, in
20 light of the above, there is a strong need in the art for a method, product, and apparatus for generating hyperlink references from using a spell check program.

Summary of the Invention

Briefly, this invention relates to a method and system for generating hyperlink references by using a spell check program. The present invention provides a way to more effectively manage URI namespace within written or spoken language. The invention enables a user to convert a misspelled word into a hyperlink reference. The present invention enables the user to access added GUI interface functions for any spell check program. The invention allows for on-the-fly spell checking as input is received one symbol or character at a time while greatly improving the functions of generating hyperlinks from misspelled words

by testing for validity and/or resolvability. The present invention allows for TLDA methodologies as discussed in other co-pending provisional applications to be applied with respect to spell checking. The invention enables the ubiquitous extended use of spell checking to be applied to real time text such as but not limited to teletext, closed caption, text converted from audio signals, instant messaging, web conferencing, etc.

In general, in accordance with the present invention a method for processing text includes the steps of parsing a word from the text, determining that the word includes a highest-level domain (HLD), and distinguishing the word from any other word that does not include the HLD. The word may be created by extracting all symbols between any two consecutive " " delimiters from the text. The word may includes a ":" delimiter followed by any symbol other than that of a " " delimiter before determining that the word includes the HLD. The word may be compared to a table of resolvable top level domains (TLDs). A font, character size, color, underline, redline, background attribute, and/or reverse video may be selected to provide a distinguishing characteristic to distinguish one word from another.

The text may also be processed with a spell checker by determining from the spell checker that the text includes a spelling error, determining that the spelling error includes the HLD, and generating a hyperlink corresponding to the spelling error. The spelling error may be compared to a table of resolvable TLDs. The hyperlink may be used to replace the spelling error. A user interface element may be used to select from one of a label, resolution method, and hyperlink activation to assist in hyperlink generation.

In yet another aspect of the present invention, a GUI interface is provided for converting a spelling error into a hyperlink reference. Additional interface characteristics may be used in addition to the conventional interface for spell checkers of the prior art by including features such as a button object for linking

a spelling error, a list box object for selecting what label and link method may be used to generate a hyperlink reference from the misspelled word, and a text box object for providing a label name that may be used in conjunction with the selection from the list box object for generating a hyperlink reference when the
5 button object for linking is activated from received input. Furthermore, the list box and text box object may be hidden from view until the button object for linking is activated.

In accordance with yet additional aspects of the present invention, an apparatus
10 which implements substantially the same functionality in substantially the same manner as the methods described above is provided.

In accordance with other additional aspects of the present invention, a computer-readable medium that includes computer-executable instructions may be used to
15 perform substantially the same methods as those described above is provided.

The foregoing and other features of the invention are hereinafter fully described and particularly pointed out in the claims. The following description and the annexed drawings set forth in detail one or more illustrative aspects of the
20 invention, such being indicative, however, of but one or a few of the various ways in which the principles of the invention may be employed.

Brief Description of the Drawings

Fig. 1a is a block diagram of an exemplary distributed computer system in
25 accordance with the present invention.

Fig. 1b is a diagram depicting the location field or web page search request used in a conventional web browser.

30 Fig. 1c is a block diagram illustrating exemplary information records stored in memory in accordance with the present invention.

Fig. 2 is a flowchart illustrating the steps performed for generating hyperlinks based on detecting a highest level domain (HLD) in accordance with the present invention.

5

Fig. 3 is a flowchart illustrating the steps performed by a prior art system for executing a spell check program.

Fig. 4a is a flowchart illustrating the steps performed for detecting a HLD with a
10 spell check program to more effectively manage URI namespace within written language in accordance with the present invention.

Fig. 4b is an illustration depicting a GUI interface for converting a spelling error into a hyperlink reference in accordance with the present invention.

15

Fig. 4c presents an exemplary table in accordance with the present invention illustrating a data structure for storing the received input from the GUI.

Fig. 5 is a flowchart illustrating the steps performed for spell checking as
20 characters or symbols are entered, processed, or received one symbol or one character at a time in accordance with the present invention.

Detailed Description of the Invention

The present invention will now be described with reference to the drawings,
25 wherein like reference numerals are used to refer to like elements throughout.

Turning first to the nomenclature of the specification, the detailed description that follows represents processes and symbolic representations of operations by conventional computer components, including a local processing unit, memory
30 storage devices for the local processing unit, display devices, and input devices. Furthermore, these processes and operations may utilize conventional computer

components in a heterogeneous distributed computing environment, including remote file servers, computer servers, and memory storage devices. These distributed computing components may be accessible to the local processing unit by a communication network.

5

The processes and operations performed by the computer include the manipulation of data bits by a local processing unit and/or remote server and the maintenance of these bits within data structures resident in one or more of the local or remote memory storage devices. These data structures impose a
10 physical organization upon the collection of data bits stored within a memory storage device and represent electromagnetic spectrum elements.

A process may generally be defined as being a sequence of computer-executed steps leading to a desired result. These steps generally require physical
15 manipulations of physical quantities. Usually, though not necessarily, these quantities may take the form of electrical, magnetic, or optical signals capable of being stored, transferred, combined, compared, or otherwise manipulated. It is conventional for those skilled in the art to refer to these signals as bits or bytes (when they have binary logic levels), pixel values, works, values, elements,
20 symbols, characters, terms, numbers, points, records, objects, images, files, directories, subdirectories, or the like. It should be kept in mind, however, that these and similar terms should be associated with appropriate physical quantities for computer operations, and that these terms are merely conventional labels applied to physical quantities that exist within and during operation of the
25 computer.

It should also be understood that manipulations within the computer are often referred to in terms such as adding, comparing, moving, positioning, placing, illuminating, removing, altering, etc., which are often associated with manual
30 operations performed by a human operator. The operations described herein are machine operations performed in conjunction with various input provided by

a human operator or user that interacts with the computer. The machines used for performing the operation of the present invention include local or remote general-purpose digital computers or other similar computing devices.

5 In addition, it should be understood that the programs, processes, methods, etc. described herein are not related or limited to any particular computer or apparatus nor are they related or limited to any particular communication network architecture. Rather, various types of general-purpose machines may be used with program modules constructed in accordance with the teachings

10 10 described herein. Similarly, it may prove advantageous to construct a specialized apparatus to perform the method steps described herein by way of dedicated computer systems in a specific network architecture with hard-wired logic or programs stored in nonvolatile memory, such as read only memory.

15 Fig. 1a illustrates an exemplary system for providing a distributed computer system 100 in accordance with one aspect of the present invention and includes client computers or any network access apparatus 110 connected to server computers 120 via a network 130. The network 130 may use Internet communications protocols (IP) to allow clients 110 to communicate with servers

20 120. The communication device of a network access apparatus 110 may include a transceiver, a modem, a network interface card, or other interface devices to communicate with the electronic network 130. The network access apparatus 110 may be operatively coupled to and/or include a Global Positioning System (GPS). The modem may communicate with the electronic network 130 via a line

25 116 such as a telephone line, an ISDN line, a coaxial line, a cable television line, a fiber optic line, or a computer network line. Alternatively, the modem may wirelessly communicate with the electronic network 130. The electronic network 130 may provide an on-line service, an Internet service provider, a local area network service, a wide area network service, a cable television service, a

30 wireless data service, an intranet, a satellite service, or the like.

The client computers 110 may be any network access apparatus including hand held devices, palmtop computers, personal digital assistants (PDAs), notebook, laptop, portable computers, desktop PCs, workstations, and/or larger/smaller computer systems. It is noted that the network access apparatus 110 may have
5 a variety of forms, including but not limited to, a general purpose computer, a network computer, a network television, an internet television, a set top box, a web-enabled telephone, an internet appliance, a portable wireless device, a television receiver, a game player, a video recorder, and/or an audio component, for example.

10

Each client 110 typically includes one or more processors, memories, and input/output devices. An input device may be any suitable device for the user to give input to client computer 110, for example: a keyboard, a 10-key pad, a telephone key pad, a light pen or any pen pointing device, a touchscreen, a
15 button, a dial, a joystick, a steering wheel, a foot pedal, a mouse, a trackball, an optical or magnetic recognition unit such as a bar code or magnetic swipe reader, a voice or speech recognition unit, a remote control attached via cable or wireless link to a game set, television, and/or cable box. A data glove, an eye tracking device, or any MIDI device may also be used. A display device may be
20 any suitable output device, such as a display screen, text-to-speech converter, printer, plotter, fax, television set, or audio player. Although the input device is typically separate from the display device, they could be combined; for example: a display with an integrated touchscreen, a display with an integrated keyboard, or a speech-recognition unit combined with a text-to-speech converter.

25

The servers 120 may be similarly configured. However, in many instances server sites 120 include many computers, perhaps connected by a separate private network. In fact, the network 130 may include hundreds of thousands of individual networks of computers. Although the client computers 110 are shown
30 separate from the server computers 120, it should be understood that a single computer may perform the client and server roles. Those skilled in the art will

appreciate that the computer environment 100 shown in Fig. 1a is intended to be merely illustrative. The present invention may also be practiced in other computing environments. For example, the present invention may be practiced in multiple processor environments wherein the client computer includes multiple
5 processors. Moreover, the client computer need not include all of the input/output devices as discussed above and may also include additional input/output devices. Those skilled in the art will appreciate that the present invention may also be practiced via Intranets and more generally in distributed environments in which a client computer requests resources from a server
10 computer.

During operation of the distributed system 100, users of the clients 110 may desire to access information records 122 stored by the servers 120 while utilizing, for example, the Web. Furthermore, such server systems 120 may also
15 include one or more search engines having one or more databases 124. The records of information 122 may be in the form of Web pages 150. The pages 150 may be data records including as content plain textual information, or more complex digitally encoded multimedia content, such as software programs, graphics, audio signals, videos, and so forth. It should be understood that
20 although this description focuses on locating information on the World-Wide-Web, the system may also be used for locating information via other wide or local area networks (WANs and LANs), or information stored in a single computer using other communications protocols.

25 The clients 110 may execute Web browser programs 112, such as Netscape Navigator or MSIE to locate the pages or records 150. The browser programs 112 enable users to enter addresses of specific Web pages 150 to be retrieved. Typically, the address of a Web page is specified as a URI or more specifically as a URL. In addition, when a page has been retrieved, the browser programs
30 112 may provide access to other pages or records by "clicking" on hyperlinks (or

links) to previously retrieved Web pages. Such links may provide an automated way to enter the URL of another page, and to retrieve that page.

Fig. 1b more specifically illustrates an exemplary selection of common operative components of a web browser program 112. The web browser 112 enables a user to access a particular web page 150 by typing the URL for the web page 150 in the location field 154. The web page 150 contents corresponding to the URI from the location field 154 may be displayed within the client area of the web browser display window 158, for example. Title information from the web page 150 may be displayed in the title bar 160 of the web browser 112. The web page 150 contents may further include a user interface element such as that of an input text box 162 for inputting data requests and, in turn, the results of such data requests 164. Results may usually be provided as hyperlinks.

15 Fig. 1c illustrates a block diagram of a storage device such as memory 168 in operative association with a processor 166. The processor 166 is operatively coupled to input/output devices 170 in a client 110 and/or server 120 computing system. Stored in memory 168 may be information records 122 having any combination of exemplary content such as scripts, lists, files, and databases.

20 Such records may include for example: user modifiable configuration settings 174, protocol/server names 176, FDN/MDN Registry 178, TLDs 180, spell checker 182, and dictionary 184. These records may be further introduced and discussed in more detail throughout the disclosure of the present invention.

25 As explained in U.S. Provisional Application Ser. No. 60/153,336 filed September 10, 1999, by Schneider entitled "Method and apparatus for generating hyperlink references and/or performing an operative function in response to detected indicia", Fig. 2 is a flowchart illustrating the steps performed for generating hyperlinks based on detecting a highest level domain (HLD). A device such as a

30 network access apparatus 110, servlet, applet, stand-alone executable program, a command line, or user interface element such as a text box object or location

field 154 of a web browser 112, receives and parses input such as text or voice in step 210. An input file may be read from memory 168 and it may be determined in step 215 whether an end of file (EOF) marker is read. Upon EOF, the script or program completes execution. While an EOF has not been

5 reached, steps may be performed to parse words in step 220 from the input file 210. For each word it may be determined (step 225) whether the word is a URI or FQDN or whether the word at the very least includes a HLD (step 227). Unfortunately, the only methods practiced by one of ordinary skill in the art with respect to detecting a URI and/or FQDN in word processing applications rely on

10 10 detecting only a prefix such as the protocol/scheme "http://" or a subdomain/host name called "www".

To process a HLD (step 227), the word may be compared to a list of resolvable TLDs or TLD cache 180 to determine HLD resolvability. When the HLD is

15 determined to be not resolvable, then the HLD is a TLDA, and it may be further determined whether the word includes any multilingual domain names (MDNs) by consulting a FDN/MDN registry 178. If so, then input may be processed as a MDN. Whenever a TLDA is detected, the domain name is determined fictitious and the step of consulting a MDN/FDN registry 178 or spell checker 182, may be

20 employed to assist with identifier generation/selection and data request processing in general.

When it is determined in step 225 that the word is not a URI or FQDN, it may further be determined in step 227 whether the word includes a HLD. When it is

25 determined that the word is not a HLD, then steps may be repeated (215, 220, 225) until an EOF is reached or the word is either a URI or FQDN, or includes a HLD. When it is determined (225, 227) that either the word is a URI or FQDN or that the word includes a HLD then it may be determined in step 230 whether the word is to be converted. If the word is not to be converted then steps may be

30 repeated (215, 220, 225) until an EOF is reached or the word is a URI or FQDN. If the word is to be converted, then a hyperlink reference may be generated from

the word and then steps may be repeated (215, 220, 225) until an EOF is reached or the word is either a URI or FQDN or includes a HLD.

Fig. 3 illustrates a prior art system for executing a spell check program as discussed in the background of the invention. The steps for "spell checking" are not included to emphasize how a spell check program processes a URI or FQDN. A device, network access apparatus 110, or web browser 112 executes a spell check program from memory (e.g., RAM) 168, either automatically or in response to an input device where a current data file may be read in step 310 from memory 168 and then determined in step 215 whether an end of file (EOF) marker is read. Upon EOF, the script or program completes execution. While an EOF has not been reached, steps may be performed to parse in step 220 words from the current data file 310. For each word, it may be determined in step 325 whether the word includes a protocol or common host server name such as "http", "ftp", "telnet", "www", etc. by consulting a table of protocol/server names 176. When it is determined that the word does not match a keyword, such as protocol or common host server name, then steps may be repeated (215, 220, 325) until an EOF is reached or a keyword is matched. When it is determined that a keyword is matched, then it may be determined in step 230 whether the word is to be converted into a hyperlink reference. This decision block may be configured to unconditionally convert the detected word. If the word is not converted, then steps are repeated (215, 220, 325) until an EOF is reached or a keyword is matched. If the word is to be converted, then a hyperlink reference may be generated from the word and then steps may be repeated (215, 220, 325) until an EOF is reached or a keyword is matched.

The keywords for protocol/scheme and common host server name are used to detect a URI namespace found within the namespace of written language. More specifically, the keywords may be used as criteria to detect a URI or FQDN without further regard of considering the validity or resolvability of such a detected URI or FQDN. As will be discussed in Figs. 4a, 4b, and 5, there are

methods that may more effectively and reliably detect URI namespace as part of written language.

Fig. 4a illustrates how the detection of a HLD may be used to more effectively manage URI namespace. When a next word is parsed in step 220 from the current data file 310 and the spelling is not correct, then it may be further determined in step 227 whether the word includes a HLD. When it is determined that the word does not include a HLD then a user may be prompted in step 420 to correct the spelling. If this is the case, then the user may correct the spelling accordingly in step 430 with the use of a popup dictionary 184 or the like, etc. In either case, after spelling is corrected (step 430) or when it is determined that spelling is not to be corrected (step 420), then steps may be repeated (215, 220, 410) until an EOF is reached or the word includes a HLD. When it is determined (step 227) that the word includes a HLD then it may be determined in step 230 whether the word is to be linked. If the word is not converted into a hyperlink, then steps may be repeated (215, 220, 410) until an EOF is reached or the word includes a HLD. If the word is to be converted, then a hyperlink reference may be generated in step 235 from the word and then steps are repeated (215, 220, 410) until an EOF is reached or the word includes a HLD.

Fig. 4b depicts how a GUI interface 450 may be used for converting a spelling error into a hyperlink reference in one aspect of the present invention. The interface 450 is applicable to the steps illustrated in both Fig. 4a above and in Fig. 5 as will be discussed below. The interface characteristics of conventional spell checkers in use and of prior art are illustrated. Additional characteristics are illustrated such as a button object 460 for hyperlinking a spelling error, a list box object 465 for selecting what label and link method may be used to generate a hyperlink reference from the misspelled word, and a text box object 470 for providing a label name that may be used in conjunction with the selection from the list box object 465 for generating a hyperlink reference when the button object 460 for linking is activated. Furthermore, user modifiable configuration

settings 174 may be used to set program preferences and the like such as having the list box 465 and text box 470 object hidden from view until the button object 460 for linking is activated.

5 For instance, when it is determined that a word such as "example.com" is misspelled, the link method "Custom Label" is selected, the label name is "Example", and the button object 460 for linking is activated, a hyperlink reference is generated:

Example

10

The word "example.com" may then be replaced by the above hyperlink reference. The text box object 470 includes additional functionality to allow the received input of the hyperlink reference bypassing the step of automatic generation. For instance, a user may type in the hyperlink reference manually in
15 the text box object 470.

20

Fig. 4c illustrates a data structure 475 for storing the received input from the GUI interface 450 of Fig. 4b. The data structure may of course be applied to other interfaces or other methods and forms of input. The misspelled word, link method, link label, and hyperlink either generated or received as input are included in the fields or columns of the illustrated data structure 475. When a URI, FQDN, or domain name is selected a label name is not required because the label name is generated as a result of specifying the link or label method. When a custom label is selected then a label name is typically entered or received as input and stored in a data table, database, or the like. Additional data structures may be appended to the data storage such as selecting a TLDA or resolution method, which is used to generate the specific permutation of a URI and/or label name. Methods for selecting TLDAs and resolution/generation/translation/response methods are explained in U.S. Patent
25 Application Ser. No. 09/532,500 filed March 21, 2000, by Schneider, entitled "Fictitious domain name method, product, and apparatus."

30

Fig. 5 illustrates a preferred aspect of the present invention by showing steps for spell checking as symbols/characters are entered, processed, or received one symbol or one character at a time. This illustration pertains only to the steps of how a word is determined, differentiated, and processed. These steps are repeatable for each word as each symbol is entered. Because the " " delimiter is a common delimiter across a multitude of namespaces, the illustrated steps use the " " delimiter to differentiate an "atomic" word from an array of symbols. Of course, variations such as detecting a "." delimiter first, as an improvement for preprocessing potential outcomes before detecting a " " delimiter (e.g., detecting a ":" delimiter followed by any symbol that is not a " " delimiter), or any other such variation or modification too numerous to list may be practiced in accordance with methods known to one of ordinary skill in the art.

15 A dynamic link library (DLL), applet, servlet, or the like may be accessed from memory 168 to provide real-time spelling corrections or hyperlink conversions when the presence of a delimiter is determined. As each symbol is entered, processed, or received as input in step 510, the symbol is stored in an array of symbols in step 515 until a " " delimiter is detected in step 520. When the " " is detected, the array is stored as a string in step 525. If it is determined in step 20 530 that the string does not include a ":" delimiter, then the string may be processed in step 535 as a word. However, when it is determined that the string includes a ":" delimiter, then a substring may be stored in step 540 from after the right most ":" delimiter to the end of string. If it is determined that the substring is 25 a " " delimiter then (e.g., detects that the ":" is the period punctuation mark) the string may then be processed as a word in step 535. However, when it is determined in step 545 that the substring is other than a " ", the substring may then be trimmed in step 550 of white spaces (removes any surrounding " " delimiters) and then may further be determined in step 555 whether the substring 30 is a resolvable TLD (" .com", ".net", etc.).

If the substring is a resolvable TLD, then the string may be processed in step 560 as a domain name, FQDN, or URI. If the substring is not a resolvable TLD, then it may be determined in step 565 whether the substring is processed as a TLDA. If so, then the string may be processed in step 570 as a FDN or name having a TLDA. When it is determined in step 565 that the substring is not processed as a TLDA, the string may be redlined in step 575 indicating that there is a spelling or grammatical error with options or suggestions to correct the error. When the string is processed as either a TLD or TLDA, the word or string may then be automatically converted in step 235 into a hyperlink reference.

5 When the string is processed as a word it may then be determined in step 410 whether the spelling is correct.

10 When the spelling is not correct, the string may be redlined in step 575 indicating that there is a spelling or grammatical error with options or suggestions to correct the error. Whenever the spelling is (step 410) correct, or the word is redlined (step 575), or converted (step 235) into a hyperlink reference; a DLL, applet, servlet, executable program, script, etc. may be employed to process corrections, deletions, modifications, etc., or process the next consecutive symbol that is entered, processed, or received as input. Furthermore, the link 15 may be marked up with a distinguishable indicator. For instance the link may be displayed using distinguishable features such as fonts, character size, color, underlining, background attributes, reverse video, etc. As will be readily apparent to those skilled in the art, other distinguishing characteristics may be used without departing from the spirit and scope of the invention.

20

25 The generalized methods discussed above apply to any text file or document including web pages that use tagging systems such as but not limited to HTML, DHTML, XML, XHTML, and SGML, etc., e-mail, newsgroup, or any file that represents information that may be applicable for applying hyperlinks. Any 30 standalone application including a program, servlet, or applet, etc. or any function, macro, or script including VB Script, JavaScript, or PERL script, etc. is

called or executed by a text processing device to process text on-the-fly or in a batch. For instance, steps may be performed to generate a new file or files, or modify an input file or files, from a given input file or batch of input files. In addition, aspects of the present invention may extend the use of spell checking 5 when applied to streaming text or real time decoded text such as but not limited to teletext, closed caption, analog and/or digital audio and/or video signals, broadcasts, instant messaging, chat rooms, web conferencing, telephone, etc.

Although the invention has been shown and described with respect to a certain 10 preferred aspect or aspects, it is obvious that equivalent alterations and modifications will occur to others skilled in the art upon the reading and understanding of this specification and the annexed drawings. In particular regard to the various functions performed by the above described items referred to by numerals (components, assemblies, devices, compositions, etc.), the terms 15 (including a reference to a "means") used to describe such items are intended to correspond, unless otherwise indicated, to any item which performs the specified function of the described item (e.g., that is functionally equivalent), even though not structurally equivalent to the disclosed structure which performs the function in the herein illustrated exemplary aspect or aspects of the invention. In 20 addition, while a particular feature of the invention may have been described above with respect to only one of several illustrated aspects, such feature may be combined with one or more other features of the other aspects, as may be desired and advantageous for any given or particular application.

25 The description herein with reference to the figures will be understood to describe the present invention in sufficient detail to enable one skilled in the art to utilize the present invention in a variety of applications and devices. It will be readily apparent that various changes and modifications could be made therein without departing from the spirit and scope of the invention as defined in the 30 following claims.

What is claimed is:

1. A method for processing text comprising the steps of:
 - 5 parsing a word from the text;
 - determining that said word includes a highest-level domain (HLD); and,
 - distinguishing said word from any other word that does not include said HLD.
- 10 2. A method, as set forth in claim 1, wherein said step of parsing said word further includes the step of creating said word by extracting all symbols between any two consecutive " " delimiters from said text.
- 15 3. A method, as set forth in claim 1, further including the step of determining whether said word includes a "." delimiter followed by any symbol other than that of a " " delimiter before determining that said word includes said HLD.
- 20 4. A method, as set forth in claim 1, wherein said step of determining that said word includes said HLD further including the step of comparing said word to a table of resolvable top level domains (TLDs).
- 25 5. A method, as set forth in claim 1, wherein said step of distinguishing said word from any other word that does not include said HLD further includes the step of selecting from one of a font, character size, color, underline, redline, background attribute, and reverse video to provide a distinguishing characteristic.
- 30 6. A method, as set forth in claim 1, further including the step of processing the text with a spell checker.
7. A method, as set forth in claim 6, wherein said step of processing the text with said spell checker further includes the steps of determining from said spell

checker that the text includes a spelling error, determining that said spelling error includes said HLD, and generating a hyperlink corresponding to said spelling error.

5 8. A method, as set forth in claim 6, further including the step of determining whether to replace said spelling error with said hyperlink.

9. A method, as set forth in claim 6, wherein said step of determining that said spelling error includes said HLD further includes the step of comparing said
10 spelling error to a table of resolvable TLDs.

10. A method, as set forth in claim 6, wherein said step of generating said hyperlink further includes the step of providing a user interface element to select from one of a label, resolution method, and hyperlink activation.

15

11. An apparatus for processing text comprising:
 a processor;
 a memory in operative association with said processor;
 means for retrieving the text;
20 means for parsing a word from the text;
 means for determining that said word includes a HLD; and,
 means for distinguishing said word from any other word that does not include said HLD.

25 12. A computer program product for processing text comprising:
 means for retrieving the text;
 means for parsing a word from the text;
 means for determining that said word includes a HLD; and,
 means for distinguishing said word from any other word that does not
30 include said HLD.

ABSTRACT OF THE DISCLOSURE

For each word, a spell check program may determine whether the spelling is correct. If the spelling is correct and an EOF has not been reached, then the next word may be parsed from the current data file. When the spelling is not correct, then it may further be determined whether the word includes a HLD. When it is determined that the word is not a HLD, then a user is prompted to correct the spelling. When it is determined that the word includes a HLD then it may be determined whether the word is to be linked. If the word is to be converted into a link then a hyperlink reference is generated from the word and steps are repeated until an EOF is reached or the next word includes a HLD.




Fig. 1a




Fig. 1b




Fig. 1c





Fig. 2



Prior Art

Fig. 3




Fig. 4a




Fig. 4b

450

475

Word	Method	Label	Hyperlink
example.name	TLDA	-	example.name
www.example.com	DN	-	example.com
http://example.com	FQDN	-	www.example.com
example.com	URI	-	http://example.com
example.company	Custom	E Corp.	E Corp.

Fig. 4c




Fig. 5

Please type a plus sign (+) inside this box →

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

**DECLARATION FOR UTILITY OR
DESIGN
PATENT APPLICATION
(37 CFR 1.63)**

Declaration
Submitted
with Initial
Filing

OR

Declaration
Submitted after Initial
Filing (surcharge
(37 CFR 1.16 (e))
required)

Attorney Docket Number

First Named Inventor

Schneider, et al.

COMPLETE IF KNOWN

Application Number

/ 9/8/2000

Filing Date

Group Art Unit

Examiner Name

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Method, product, and apparatus for generating hyperlink references
from spell checking

the specification of which

(Title of the Invention)

is attached hereto
OR

was filed on (MM/DD/YYYY) [redacted] as United States Application Number or PCT International

Application Number [redacted] and was amended on (MM/DD/YYYY) [redacted] (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?
			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	
60/153,336	09/10/1999	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.
60/155,367	09/20/1999	

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)
09/532,500 n/a	3/21/2000 9/7/2000	

Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Customer Number Place Customer Number Bar Code Label here
OR
 Registered practitioner(s) name/registration number listed below

Name	Registration Number	Name	Registration Number

Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.

Direct all correspondence to: Customer Number  OR Correspondence address below

Name	24226		
Address	PATENT TRADEMARK OFFICE		
Address			
City		State	ZIP
Country		Telephone	Fax

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:		<input type="checkbox"/> A petition has been filed for this unsigned inventor						
Given Name (first and middle [if any])				Family Name or Surname				
Eric				Schneider				
Inventor's Signature							Date	9/8/2000
Residence: City	University Hts.	State	OH	Country	USA	Citizenship	USA	
Post Office Address	13944 Cedar Road #258							
Post Office Address								
City	University Hts.	State	OH	ZIP	44118	Country	USA	


Additional inventors are being named on the _____ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto

Please type a plus sign (+) inside this box →

PTO/SB/02A (3-97)
Approved for use through 9/30/98. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION	ADDITIONAL INVENTOR(S) Supplemental Sheet Page <u>1</u> of <u>1</u>
--------------------	--

Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor					
Given Name (first and middle [if any])			Family Name or Surname				
DANIEL V			HEINTZ				
Inventor's Signature						Date	9/8/2000
Residence: City	CLEVE HTS	State	OH	Country	USA	Citizenship	USA
Post Office Address	3591 FAIRMOUNT BLVD						
Post Office Address	Cleveland Heights						
City	CLE HTS	State	OH	ZIP	44118	Country	USA
Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor					
Given Name (first and middle [if any])			Family Name or Surname				
Inventor's Signature						Date	
Residence: City		State		Country		Citizenship	
Post Office Address							
Post Office Address							
City		State		ZIP		Country	
Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor					
Given Name (first and middle [if any])			Family Name or Surname				
Inventor's Signature						Date	
Residence: City		State		Country		Citizenship	
Post Office Address							
Post Office Address							
City		State		ZIP		Country	

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.